10 / 523475 DT01 Rec'd PCT/PTC 0 4 FEB 2005

## Amendments to the Claims

Please cancel claims 75-111 without prejudice and amend claims 12, 15, 16, 19-23, 36-38, 46, 54, 56, 58, 65, 67, 69, and 73 as shown. The following listing of claims supersedes all prior versions and listings of claims in the application.

## **Listing of Claims**

- 1. (Original) An isolated nucleic acid having a nucleotide sequence selected from the group consisting of:
  - (a) at least 10 consecutive nucleotides of SEQ ID NO: 1;
  - (b) at least 12 consecutive nucleotides of SEQ ID NO: 1;
  - (c) at least 14 consecutive nucleotides of SEQ ID NO: 1;
  - (d) at least 16 consecutive nucleotides of SEQ ID NO: 1;
  - (e) at least 18 consecutive nucleotides of SEQ ID NO: 1; and
  - (f) a sequence complementary to any one of the sequences of (a) -(e).
- 2. (Original) An isolated nucleic acid having a nucleotide sequence selected from the group consisting of:
  - (a) at least 10 consecutive nucleotides of SEQ ID NO: 3;
  - (b) at least 12 consecutive nucleotides of SEQ ID NO: 3;
  - (c) at least 14 consecutive nucleotides of SEQ ID NO: 3;
  - (d) at least 16 consecutive nucleotides of SEQ ID NO: 3;
  - (e) at least 18 consecutive nucleotides of SEQ ID NO: 3; and
  - (f) a sequence complementary to any one of the sequences of (a) -(e).
- 3. (Original) An isolated nucleic acid having a nucleotide sequence selected from the group consisting of:
  - (a) a sequence encoding a CatSper4 protein;
  - (b) a sequence encoding at least a transmembrane domain of a CatSper4 protein;
  - (c) a sequence encoding at least an extracellular loop of a CatSper4 protein;

- (d) a sequence encoding at least a pore region of a CatSper4 protein;
- (e) a sequence encoding at least an epitope of a CatSper4 protein having high predicted antigenicity; and
  - (f) a sequence complementary to any one of the sequences of (a)-(e).
- 4. (Original) An isolated nucleic acid as in claim 3 selected from the group consisting of:
  - (a) SEQ ID NO: 1;
  - (b) SEQ ID NO: 3;
- (c) a sequence encoding a polypeptide comprising residues 46-75, 86-98, 108-137, 155-202, 209-233 and 242-272 of SEQ ID NO: 2;
- (d) a sequence encoding a polypeptide comprising residues 48-73, 81-111, 113-134, 156-204, 208-233 and 245-273 of SEQ ID NO: 4;
- (e) a sequence encoding a polypeptide comprising residues 76-85, 138-154 and 234-242 of SEQ ID NO: 2;
- (f) a sequence encoding a polypeptide comprising residues 74-80, 135-155 and 234-244 of SEQ ID NO 4;
  - (g) a sequence encoding a polypeptide comprising residues 222-231 of SEQ ID NO: 2;
- (h) a sequence encoding a polypeptide comprising residues approximately residues 222-231 of SEQ ID NO: 4;
- (i) a sequence encoding a polypeptide comprising a high predicted antigenicity epitope of SEQ ID NO: 2;
- (j) a sequence encoding a polypeptide comprising a high predicted antigenicity epitope of SEO ID NO: 4; and
  - (k) a sequence complementary to any one of the sequences of (a)-(j).
- 5. (Original) An isolated nucleic acid encoding a polypeptide having at least 80% amino acid sequence identity with a polypeptide selected from the group consisting of:
  - (a) a CatSper4 protein;
  - (b) at least a transmembrane domain of a CatSper4 protein;

- (c) at least an extracellular loop of a CatSper4 protein; and
- (d) at least a pore region of a CatSper4 protein.
- 6. (Original) An isolated nucleic acid encoding a polypeptide having at least 80% amino acid sequence identity with a CatSper4 protein and having CatSper4 activity in a cell capable of expressing CatSper4 activity.
- 7. (Original) An isolated nucleic acid comprising

a regulatory element having at least 80% nucleotide sequence identity to at least 100 consecutive nucleotides selected from SEQ ID NO: 5;

wherein said regulatory element is capable of promoting transcription of a coding sequence operably joined thereto in a mammalian cell in which a CatSper4 gene can be expressed.

- 8. (Original) An isolated nucleic acid comprising a nucleotide sequence that hybridizes to at least a portion of a nucleic acid of SEQ ID NO: 1 or SEQ ID NO: 3 under conditions including a wash step of 1.0 x SSC at 65°C.
- 9. (Original) An isolated nucleic acid as in claim 8 wherein said nucleic acid encodes a polypeptide having CatSper4 activity.
- 10. (Original) A nucleic acid comprising:
- (i) a nucleotide sequence encoding a polypeptide having CatSper4 activity, wherein said nucleic acid hybridizes to at least a portion of a nucleic acid of SEQ ID NO: 1 or SEQ ID NO: 3 under conditions including a wash step of 1.0 x SSC at 65°C; and
- (ii) a heterologous regulatory region operably joined to said sequence such that said sequence is expressed.

11. (Original) A nucleic acid comprising:

(i) a nucleotide sequence encoding a polypeptide having at least 80 percent amino acid

sequence identity with an amino acid sequence of SEQ ID NO: 2 or 4; and

(ii) a heterologous regulatory region operably joined to said sequence such that said

sequence is expressed.

12. (Currently amended) A kit for detecting at least a portion of a CatSper4 nucleic acid

comprising an isolated nucleic acid of any one of claims 1-7 claim 1 and a means for detecting

said isolated nucleic acid.

13. (Original) A kit as in claim 12 wherein said means for detecting said isolated nucleic

acid comprises a detectable label bound thereto.

14. (Original) A kit as in claim 12 wherein said means for detecting said isolated nucleic

acid comprises a labeled secondary nucleic acid which specifically hybridizes to said isolated

nucleic acid.

15. (Currently amended) A vector comprising an isolated nucleic acid of any one of claims

1-11 claim 1.

16. (Currently amended) A vector comprising a genetic construct capable of expressing a

nucleic acid of any one of claims 3-11 claim 3.

17. (Original) A vector as in claim 16 wherein said nucleic acid is operably joined to an

exogenous regulatory region.

18. (Original) A vector as in claim 16 wherein said nucleic is operably joined to

heterologous coding sequences to form a fusion vector.

Page 5 of 14

19. (Currently amended) A vector comprising an isolated nucleic acid of any one of claims

3-11 claim 3.

20. (Currently amended) A vector comprising an isolated nucleic acid of any one of claims

3-11 claim 3 operably joined to a reporter gene.

21. (Currently amended) A cell transformed with a nucleic acid of any one of claims 3-11

claim 3.

22. (Currently amended) A cell transformed with a genetic construct capable of expressing a

nucleic acid of any one of claims 3-11 claim 3.

23. (Currently amended) A cell as in claim 22 wherein said nucleic acid is operably joined to

heterologous coding sequences to encode a fusion protein.

24. (Original) A cell as in claim 22 wherein said cell is selected from the group consisting of

bacterial cells, yeast cells, insect cells, nematode cells, amphibian cells, rodent cells, and human

cells.

25. (Original) A cell as in claim 22 wherein said cell is selected from the group consisting of

mammalian somatic cells, fetal cells, embryonic stem cells, zygotes, gametes, germ line cells and

transgenic animal cells.

26. (Original) A non-human transgenic animal, wherein a genetic construct has introduced a

modification into a genome of said animal, or an ancestor thereof, and wherein said modification

is selected from the group consisting of insertion of a nucleic acid encoding at least a fragment of

a CatSper4 protein, inactivation of an endogenous CatSper4 gene, and insertion by homologous

recombination of a reporter gene operably joined to CatSper4 regulatory elements.

Page 6 of 14

- 27. (Original) An animal as in claim 26 wherein said modification is insertion of a nucleic acid encoding a polypeptide selected from the group consisting of a CatSper4 protein, at least a transmembrane domain of a CatSper4 protein, at least an extracellular loop of a CatSper4 protein, at least a pore region of a CatSper4 protein, and at least an epitope of a CatSper4 protein having high predicted antigenicity.
- 28. (Original) An animal as in claim 26 wherein said animal is selected from the group consisting of rats, mice, hamsters, guinea pigs, rabbit, dogs, cats, goats, sheep, pigs, and non-human primates.
- 29. (Original) A substantially pure protein preparation comprising a polypeptide selected from the group consisting of:
  - (a) a CatSper4 protein;
  - (b) at least a transmembrane domain of a CatSper4 protein;
  - (c) at least an extracellular loop of a CatSper4 protein;
  - (d) at least a pore region of a CatSper4 protein; and
  - (e) at least an epitope of a CatSper4 protein having high predicted antigenicity.
- 30. (Original) A substantially pure protein preparation as in claim 29 wherein said polypeptide is selected from the group consisting of:
  - (a) SEQ ID NO: 2;
  - (b) SEQ ID NO: 4;
  - (c) residues 46-75, 86-98, 108-137, 155-202, 209-233 and 242-272 of SEQ ID NO: 2;
  - (d) residues 48-73, 81-111, 113-134, 156-204, 208-233 and 245-273 of SEQ ID NO: 4;
  - (e) residues 76-85, 138-154 and 234-242 of SEQ ID NO: 2;
  - (f) residues 74-80, 135-155 and 234-244 of SEQ ID NO 4;
  - (g) residues 222-231 of SEQ ID NO: 2;
  - (h) residues 222-231 of SEQ ID NO: 4;
  - (i) a high predicted antigenicity epitope of SEQ ID NO: 2; and

- (j) a high predicted antigenicity epitope of SEQ ID NO: 4.
- 31. (Original) A substantially pure protein preparation comprising a polypeptide having at least 80% amino acid sequence identity with a polypeptide selected from the group consisting of:
  - (a) a CatSper4 protein;
  - (b) at least a transmembrane domain of a CatSper4 protein;
  - (c) at least an extracellular loop of a CatSper4 protein; and
  - (d) at least a pore region of a CatSper4 protein.
- 32. (Original) A substantially pure protein preparation comprising a polypeptide having at least 80% amino acid sequence identity with a CatSper4 protein and having CatSper4 activity in a cell capable of expressing CatSper4 activity.
- 33. (Original) A substantially pure antibody preparation comprising an antibody raised against a CatSper4 epitope.
- 34. (Original) A substantially pure antibody preparation as in claim 33 wherein said epitope has high predicted antigenicity.
- 35. (Original) A substantially pure antibody preparation as in claim 33 wherein said epitope comprises an amino acid sequence within the an amino acid sequence selected from the group consisting of high predicted antigenicity epitopes of SEQ ID NO: 2, and high predicted antigenicity epitopes of SEQ ID NO: 4.
- 36. (Currently amended) A substantially pure antibody preparation as in any one of claims 33-35 claim 33 wherein said antibody is a monoclonal antibody.

- 37. (Currently amended) A substantially pure antibody preparation as in any one of claims 33-35 claim 33 wherein said antibody is an antibody fragment selected from the group consisting of an Fab fragment, an F(ab')<sub>2</sub> fragment, an Fv fragment, and a single-chain Fv fragment (scFv).
- 38. (Currently amended) A kit for detecting at least an epitope of a CatSper4 protein comprising an anti-CatSper4 antibody of any one of claims 33-37 claim 33 and a means for detecting said antibody.
- 39. (Original) A kit as in claim 38 wherein said means for detecting said anti-CatSper4 antibody comprises a detectable label bound thereto.
- 40. (Original) A kit as in claim 38 wherein said means for detecting said anti-CatSper4 antibody comprises a labeled secondary antibody which specifically binds to said anti-CatSper4 antibody.
- 41. (Original) A method of identifying a potential modulator of CatSper4 activity comprising:

contacting a candidate compound with a cell expressing a CatSper4 protein; measuring an indicator of CatSper4 activity in said cell;

determining whether said candidate compound caused an increase or decrease in said indicator relative to a reference level; and

identifying said candidate compound as a potential modulator of CatSper4 activity if said increase or decrease is significant.

- 42. (Original) A method as in claim 41 wherein said indicator is an indicator of the level of mRNA encoding said CatSper4 protein.
- 43. (Original) A method as in claim 41 wherein said indicator is an indicator of the level of CatSper4 protein.

- 44. (Original) A method as in claim 41 wherein said indicator is an indicator of cation flux across a membrane of said cell.
- 45. (Original) A method as in claim 41 wherein said indicator is an indicator of whole cell or channel currents of said cell.
- 46. (Currently amended) A method as in any one of claims 41-45 claim 41 wherein said cell has been transformed with a genetic construct capable of expressing a CatSper4 protein.
- 47. (Original) A method as in claim 41 wherein said cell is a mature sperm cell and said indicator is a measure of sperm motility.
- 48. (Original) A method of identifying a potential modulator of CatSper4 activity comprising:

contacting under physiological conditions a candidate compound with CatSper4 moiety comprising at least a structural domain of a CatSper4 protein;

measuring binding, if any, between said candidate compound and said CatSper4 moiety; identifying said candidate compound as a potential modulator of CatSper4 activity if said binding is significant.

- 49. (Original) A method as in claim 48 wherein said CatSper4 moiety is a polypeptide selected from the group consisting of:
  - (a) a CatSper4 protein;
  - (b) at least a transmembrane domain of a CatSper4 protein;
  - (c) at least an extracellular loop of a CatSper4 protein; and
  - (d) at least a pore region of a CatSper4 protein.

- 50. (Original) A method of decreasing the fertility of a male subject comprising: administering to said male a compound which decreases CatSper4 activity.
- 51. (Original) A method of causing reversible infertility in a male subject comprising: administering to said male a compound which decreases CatSper4 activity.
- 52. (Original) A method of contraception comprising: administering to a male subject a compound which decreases CatSper4 activity.
- 53. (Original) A method of contraception comprising: administering to a female subject a compound which decreases CatSper4 activity.
- 54. (Currently amended) A method as in any one of claims 50-53 claim 50 wherein said compound is in a formulation selected from the group consisting of an injection, a transdermal patch, a bioerodable implant, a lubricant, a moisturizer, a foam, a jelly, and a sponge.
- 55. (Original) A method of contraception as in claim 53 wherein: said female subject is a mammal and said compound is administered into at least one of the vagina, uterus and fallopian tubes of said female.
- 56. (Currently amended) A method as in any one of claims 50-53 claim 50 wherein said compound is selected from the group consisting of a nucleic acid which is antisense to at least a portion of a CatSper4 gene and an antibody to a CatSper4 protein.
- 57. (Original) A method as in claim 56 wherein said compound is an antibody fragment selected from the group consisting of an Fab fragment, an F(ab')<sub>2</sub> fragment, an Fv fragment, and an scFv fragment.

- 58. (Currently amended) A method as in any one of claims 50-53 claim 50 wherein said subject is a mammal.
- 59. (Original) A method as in claim 58 wherein said mammal is selected from the group consisting of humans, dogs, cats, cows, sheep, horses, mice, rats, raccoons, and gophers.
- 60. (Original) A method as in claim 58 wherein said subject is selected from the group consisting of a fish, an amphibian and an insect.
- 61. (Original) Use of a compound which decreases CatSper4 activity in the preparation of a medicament for decreasing the fertility of a male subject.
- 62. (Original) Use of a compound which decreases CatSper4 activity in the preparation of a medicament for causing reversible infertility in a male subject.
- 63. (Original) Use of a compound which decreases CatSper4 activity in the preparation of a contraceptive for administration to a male.
- 64. (Original) Use of a compound which decreases CatSper4 activity in the preparation of a contraceptive for administration to a female.
- 65. (Currently amended) A use as in any one of claims 61-64 claim 61 wherein said compound is in a formulation selected from the group consisting of an injection, a transdermal patch, a bioerodable implant, a lubricant, a moisturizer, a foam, a jelly, and a sponge.
- 66. (Original) A use as in claim 64 wherein:

said female subject is a mammal and said compound is administered into at least one of the vagina, uterus and fallopian tubes of said female.

- 67. (Currently amended) A use as in any one of claims 61-64 claim 61 wherein said compound is selected from the group consisting of a nucleic acid which is antisense to at least a portion of a CatSper4 gene and an antibody to a CatSper4 protein.
- 68. (Original) A use as in claim 67 wherein said compound is an antibody fragment selected from the group consisting of an Fab fragment, an F(ab')<sub>2</sub> fragment, an Fv fragment, and an scFv fragment.
- 69. (Currently amended) A use as in any one of claims 61-64 claim 61 wherein said subject is a mammal.
- 70. (Original) A use as in claim 69 wherein said mammal is selected from the group consisting of humans, dogs, cats, cows, sheep, horses, mice, rats, raccoons, and gophers.
- 71. (Original) A use as in claim 69 wherein said subject is selected from the group consisting of a fish, an amphibian and an insect.
- 72. (Original) A contraceptive preparation comprising a compound which decreases CatSper4 activity.
- 73. (Currently amended) A preparation as in elaims claim 72 wherein said compound is selected from the group consisting of a nucleic acid which is antisense to at least a portion of a CatSper4 gene and an antibody to a CatSper4 protein.
- 74. (Original) A preparation as in claim 72 wherein said preparation is in a formulation selected from the group consisting of an injection, a transdermal patch, a bioerodable implant, a lubricant, a moisturizer, a foam, a jelly, and a sponge.
- 75-111. (Canceled)